

RSBag - Enhancement #1038

Allow composite flush strategies

06/26/2012 01:31 AM - J. Moringen

| | | | |
|--|-------------|------------------------|-------------------|
| Status: | Resolved | Start date: | 06/26/2012 |
| Priority: | Normal | Due date: | |
| Assignee: | J. Moringen | % Done: | 100% |
| Category: | | Estimated time: | 0.00 hour |
| Target version: | rsb-0.9 | | |
| Description For example <ul style="list-style-type: none">- more than 100 entries- or 32 MB- or previous flush longer than 5 s ago | | | |
| Related issues: Related to RSBag - Enhancement # 846: Flush index blocks? Related to RSBag - Feature # 1013: Allow async flushing of chunk and index bu... Related to RSBag - Tasks # 847: Make buffer write back configurable | | | |
| | | Resolved | 02/02/2012 |
| | | Resolved | 06/21/2012 |
| | | Resolved | 02/02/2012 |

Associated revisions

Revision 55161534 - 09/30/2012 04:16 PM - J. Moringen

Improved error handling, tests for flush strategies

fixes #1038

- src/backend/flush-strategies.lisp
 - (shared-initialize :before property-limit t): new method; ensure that the specified property appears as the specializer of at least one method
 - (print-object property-limit t): improved printed representation
- test/backend/flush-strategies.lisp
 - (buffer-property t mock-buffer eql :time-to-last-write): new method; required by new tests cases
 - (define-basic-flush-strategy-suite :or): new test suite for composite flush strategy :or
 - (define-basic-flush-strategy-suite :and): similar for :and
 - (define-basic-flush-strategy-suite :not): similar for :not

History

#1 - 06/26/2012 03:35 AM - J. Moringen

- Status changed from New to In Progress
- % Done changed from 0 to 50

#2 - 09/26/2012 03:25 PM - J. Moringen

- % Done changed from 50 to 80

#3 - 10/02/2012 11:32 PM - J. Moringen

- Status changed from In Progress to Resolved
- % Done changed from 80 to 100

Applied in changeset rsbag-cl|commit:55161534242fd26f2aabdbc66a082fe1cdab70c0.