# NemoMath - Bug #1579 Export two configuration trees, one for Eigen2 and one for Eigen3

07/29/2013 02:08 PM - Anonymous

Status:	Closed	Start date:	07/29/2013
Priority:	High	Due date:	
Assignee:	A. Tuleu	% Done:	100%
Category:		Estimated time:	0.00 hour
Target version:	NemoMath 0.4		
Description		L	
I see that NemoN	Nath as a eigen 3 support. Further	ries, that use / depend on eigen3: rmore NemoMath is header only lib	prary. And the debian packaging is
I see that NemoN	Nath as a eigen 3 support. Further		prary. And the debian packaging is
I see that NemoN			prary. And the debian packaging is
I see that NemoN authorizing the tv	Nath as a eigen 3 support. Further	rmore NemoMath is header only lib	orary. And the debian packaging is noMath.pc ) one for Eigen2 (takes the
I see that NemoN authorizing the tw * NemoMath sho	Nath as a eigen 3 support. Further	rmore NemoMath is header only lib NemoMathConfig.cmake and Nem	
I see that NemoN authorizing the tv * NemoMath sho same name) and	Math as a eigen 3 support. Further vo. I would suggest: uld export two configuration tree (	rmore NemoMath is header only lib NemoMathConfig.cmake and Nemomath-Eigen3).	
I see that NemoN authorizing the tv * NemoMath sho same name) and	Math as a eigen 3 support. Further vo. I would suggest: uld export two configuration tree ( one for Eigen3 (Maybe called Ne	rmore NemoMath is header only lib NemoMathConfig.cmake and Nemomath-Eigen3).	

## Associated revisions

Revision 289 - 07/31/2013 05:45 PM - anordman

Exporting two configurations, one explicitly for eigen3

- Nemomath now exports two configurations (pkgconfig and cmake config)
  - The default one works with eigen2 and eigen3, but prefers eigen2 over eigen3 with eigen2 support
  - The second one explicitly depends on eigen3 with eigen2 support, if eigen3 is installed

fixes #1579

## Revision 290 - 07/31/2013 05:49 PM - anordman

Suggest libeigen3-dev debian package

- Now that we build an explicit eigen3 configuration, the debian package suggests to install libeigen3-dev

refs #1579

Revision 291 - 07/31/2013 05:51 PM - anordman

Added missing files

refs #1579

#### Revision 292 - 07/31/2013 05:59 PM - anordman

Added missing files

#### Revision 293 - 08/06/2013 11:42 AM - anordman

Nemomath package needs to depend on libeigen2-dev

- The nemomath debian package needs to depend on libeigen2-dev, because the default configuration of nemomath requires eigen2
- Eigen3 also possible, so libeigen3-dev is only suggested

refs #1579

#### Revision 305 - 10/04/2013 05:26 PM - anordman

Let downstream projects enforce dependency to eigen3 instead of eigen2

- By setting the CMAKE variable NEMOMATH\_ENFORCE\_EIGEN3 to 1/On/true, NemoMath exports eigen3 dependency and not eigen2 dependency (default)

- Previous solution, to provide a seperate cmake Config file is inconvenient, since the file naming prevents cmake to find it with its default mechanism

refs #1579

## History

## #1 - 07/29/2013 02:11 PM - Anonymous

I would vote in favor of providing two configurations (for eigen2 and eigen3). I don't see any problems with that.

#### #2 - 07/31/2013 05:41 PM - Anonymous

- Status changed from Feedback to In Progress
- Assignee set to Anonymous

## #3 - 07/31/2013 05:45 PM - Anonymous

- Status changed from In Progress to Resolved
- % Done changed from 0 to 100

Applied in changeset r289.

## #4 - 07/31/2013 05:49 PM - Anonymous

- Status changed from Resolved to Feedback
- Assignee changed from Anonymous to A. Tuleu

Alexandre, can you check, if this meets your needs? Check NemoMath0.4-eigen3.pc and NemoMath-Eigen3Config.cmake

#### #5 - 09/23/2013 06:17 PM - Anonymous

- Status changed from Feedback to Closed

# #6 - 09/23/2013 06:31 PM - A. Tuleu

Yep it works well at this level.

You still need a recompilation for RCI, and force here the dependency on eigen3. Otherwise ABI problem may arise.