

RSBag - Feature #1677

Support explicit backend selection

12/04/2013 02:16 PM - J. Moringen

Status:	New	Start date:	12/04/2013
Priority:	Normal	Due date:	
Assignee:	J. Moringen	% Done:	0%
Category:	Backend	Estimated time:	0.00 hour
Target version:	rsb-0.18		

Description

1. Add a commandline option for forcing a backend
2. Use new configuration system for backend selection and configuration. Examples of options
 - tide.force-recovery
 - tide.flush-strategy
 - tide.flush-strategy.buffer-limit.limit
3. After switching to service-provider system, add backend auto-detection service

History

#1 - 12/04/2013 02:16 PM - J. Moringen

- Description updated

#2 - 03/04/2016 11:37 AM - J. Moringen

- Target version set to rsb-0.14

#3 - 04/17/2016 07:51 PM - J. Moringen

- Target version changed from rsb-0.14 to rsb-0.15

#4 - 11/07/2016 10:38 AM - J. Moringen

- Target version changed from rsb-0.15 to rsb-0.16

#5 - 04/10/2017 09:01 PM - J. Moringen

- Target version changed from rsb-0.16 to rsb-0.17

#6 - 10/16/2017 09:23 PM - J. Moringen

- Target version changed from rsb-0.17 to rsb-0.18