

RSB Performance Test API - Feature #2593

Program restart for different parameters or isolation

07/11/2016 03:46 PM - J. Wienke

Status:	Rejected	Start date:	07/11/2016
Priority:	Normal	Due date:	
Assignee:	J. Wienke	% Done:	0%
Category:	test-api	Estimated time:	0.00 hour
Target version:	0.4		
Description			
Allow to restart the program (with different parameter combinations) to: <ul style="list-style-type: none">- be able to control command line parameters- isolate runs of of different parameter combinations Use process monitor with event-based mode for configuration of PIDs.			
Related issues:			
Duplicated by RSB Performance Test API - Tasks # 2623: Allow parameters to be...		Rejected	07/25/2016

History

#1 - 07/11/2016 04:08 PM - J. Wienke

- Description updated

#2 - 07/12/2016 12:48 PM - J. Wienke

- Category set to test-api

#3 - 07/12/2016 12:51 PM - J. Wienke

- Target version set to 0.4

#4 - 07/25/2016 02:21 PM - J. Wienke

- Duplicated by Tasks #2623: Allow parameters to be command line arguments of programs added

#5 - 07/26/2016 12:11 PM - J. Wienke

- Status changed from New to Rejected

We decided to skip this feature for now. It might be more suitable to model a program with different command line parameters as individual programs.