

Robotics Service Bus - Tasks #589

Reduce complexity of client-server example

09/27/2011 07:35 PM - J. Sanchez Riera

Status:	Resolved	Start date:	09/27/2011
Priority:	Low	Due date:	
Assignee:	J. Moringen	% Done:	100%
Category:	Documentation	Estimated time:	0.00 hour
Target version:	0.5		
Description			
<p>In the server example a callback with an additional member that stores the method name is displayed. This leads to the assumption that storing this is required by the framework and adds to the complexity of this minimal example. Probably, we can just remove this overhead.</p>			

Associated revisions

Revision fe1e1ced - 09/28/2011 03:57 AM - J. Moringen

Reduced complexity in examples/server/server.cpp

fixes #589

- examples/server/server.cpp: removed dispatch on method name in callback; introduced dedicated callback class for intentional errors; removed all method name variables

History

#1 - 09/27/2011 07:50 PM - J. Wienke

- Assignee changed from J. Wienke to J. Moringen

Jan, this was your example ;)

#2 - 09/27/2011 08:11 PM - J. Moringen

Does this refer to the C++ implementation?

#3 - 09/28/2011 03:57 AM - J. Moringen

- Status changed from New to Resolved

- % Done changed from 0 to 100

Applied in changeset r2751.