

RSBag - Enhancement #758

Refactor bag-cat to use same output mechanism as logger

12/09/2011 04:58 PM - J. Moringen

Status:	Resolved	Start date:	12/09/2011
Priority:	Normal	Due date:	
Assignee:	J. Moringen	% Done:	100%
Category:		Estimated time:	0.00 hour
Target version:	0.6		
Description			
There are two reasons for wanting this:			
- Avoids code duplication			
- Some of the output modes of the logger may be useful in bag-cat and vice-versa			
Related issues:			
Related to RSBag - Feature # 733: Configurable output for bag-cat		Resolved	11/24/2011

Associated revisions

Revision 43cbd043 - 12/11/2011 03:37 AM - J. Moringen

Use cl-rsb-formatting in bag-cat tools

fixes #758

- cl-rsbag-tools-cat.asd (system connection cl-rsbag-tools-cat): added system dependency on cl-rsb-formatting system
- bag-cat/package.lisp (package rsbag.tools.cat): added used package rsb.formatting
- bag-cat/main.lisp (output): removed; output mechanism form cl-rsb-formatting is used
 - (output simple-array stream): likewise
 - (output string stream): likewise
 - (output event stream): likewise
 - (make-examples-string): added example for style option
 - (update-synopsis): removed entry-separator option; added style option
 - (main): added processing of style option and use `format-event' from cl-rsb-formatting system

History

#1 - 12/11/2011 03:37 AM - J. Moringen

- Status changed from New to Resolved
- % Done changed from 30 to 100

Applied in changeset r248.