Robotics Service Bus - Enhancement #864

Logger's monitor mode could use ANSI escape sequences to manage screen

02/07/2012 06:57 PM - J. Moringen

Status: Start date: Resolved 02/07/2012 **Priority:** Due date: Low Assignee: J. Moringen % Done: 100% C++ Tools **Estimated time:** Category: 0.00 hour Target version: 0.6

Description

The appropriate sequence would be

- 1. move cursor to 1,1
- 2. clear screen

that is

 $\x1b[1;1f\x1b[J]$

This may be a bit more elegant than just printing 300 newlines;)

See ANSI escape code.

Associated revisions

Revision ae1b9cad - 02/09/2012 08:50 PM - J. Moringen

Use ANSI escape sequence in logger/MonitorEventFormatter.cpp

fixes #864

 logger/MonitorEventFormatter.cpp: use ANSI escape sequence to clear screen instead of printing empty lines

History

#1 - 02/07/2012 06:58 PM - J. Moringen

Since file attachments do not work, inline test program here:

```
#include <stdio.h>
int main() {
    printf("\x1b[1;1f\x1b[J");
}
```

#2 - 02/09/2012 08:37 PM - J. Moringen

- Status changed from New to In Progress
- Assignee changed from Anonymous to J. Moringen
- Target version set to 0.6

#3 - 02/09/2012 08:50 PM - J. Moringen

04/18/2024 1/2

- Status changed from In Progress to Resolved
- % Done changed from 0 to 100

Applied in changeset r3292.

#4 - 02/09/2012 08:50 PM - J. Moringen

- Status changed from Resolved to Feedback

Hm, maybe we should disable this for Windows?

#5 - 02/09/2012 08:51 PM - J. Moringen

touch

#6 - 02/27/2012 02:51 PM - J. Wienke

- Priority changed from Normal to Low

#7 - 02/27/2012 02:51 PM - J. Wienke

- Status changed from Feedback to Resolved

04/18/2024 2/2