Robotics Service Bus

| | 2022-5 | | | 2022-6 | | | | 2022-7 | | | | 2022-8 | | | | | 2022-9 | | | | 2022-10 | | | | | |
|--|--------|------|--------|--------|------|----|----|--------|----|----|----|--------|----|----|----|----|--------|----|----|----|---------|----|----|----|----|---|
| | 18 | 19 | 20 | | 22 | 23 | 24 | 25 | 26 | 27 | 28 | 29 | 30 | 31 | 32 | 33 | 34 | 35 | 36 | 37 | 38 | 39 | 40 | 41 | 42 | 4 |
| Robotics Service Bus | F | obot | lics S | Servi | ce B | us | | | | | | | | | | | | | | | | | | | | |
| Add Conditional Parsing for User Data in () | | | | | | | | | | | | | | | | | | | | | | | | | | |
| State model/checking for modifications on () | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Unify exception handling | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Specify barricade strategy for passed arguments | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Support QoS in Spread connector | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Generate and export API Documentation | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Timestamp compatibilty to ROS and YARP | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Use RST IDL Type for Protocol Buffer Tutorials | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Test / Reconsider Distributed Logging | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Check usage and reduce number of dynamic () | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Consider introduction of lock-free queues | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Hierarchical Event Fusion | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Ideas for Recording Data on a Resource-Constrained | () | | | | | | | | | | | | | | | | | | | | | | | | | |
| rsb-java does not shutdown properly if a () | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Create an in process example | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Allow regex-based converter selection for () | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Move Figures to Top-Level Folder | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Improve documentation for debian package () | | | | | | | | | | | | | | | | | | | | | | | | | | |
| VERSION_SUFFIX should be configurable | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Socket transport in Python silently drops () | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Matlab Installation Doc | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Better handling of dependencies without pc () | | | | | | | | | | | | | | | | | | | | | | | | | | |
| rsb matlab interface not fully working with () | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Encode version in library name | | | | | | | | | | | | | | | | | | | | | | | | | | |
| pkg-config test fails in integration test | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Support common installations (to simlify () | | | | | | | | | | | | | | | | | | | | | | | | | | |
| Allow (optional) parallel method calls | | | | | | | | | | | | | | | | | | | | | | | | | | |

| added WireSchemaFilter + FilterCombination | |
|---|-----------------|
| Compilation of RSB Tools fails on MacOS 10.10 | |
| Setters for TimesyncStrategy options | |
| Uniformed path for System-Config in Windows | |
| Robotics Service Bus - rsb-0.18 | rsb-0.18 30% |
| Introspectable Configuration Options () | In Progress 80% |
| Introspectable Configuration Options () | In Progress 50% |
| Introspectable Configuration Options () | In Progress 50% |
| C++ Spread: Transport-level errors are () | New 20% |
| Revise Converter Selection Mechanism | New 100% |
| Move Spread Transport into separate () | In Progress 60% |
| Document Connector Extension Point | New 0% |
| Converters for Fundamental Types are () | In Progress 80% |
| Data handlers cannot deal with unexpected () | New 0% |
| Implement ErrorHandler subsystem in () | New 0% |
| Add Transport class [C++] | In Progress 50% |
| Implement error handling subsystem | New 0% |
| Implement error handling subsystem | In Progress 30% |
| Specify disconnect protocol for socket () | In Progress 50% |
| Allow checking if handlers are registered () | Feedback 0% |
| Document programmatic configuration () | In Progress 20% |
| Really support wire-types other than () | New 0% |
| Use better wire-type for binary blobs | New 0% |
| Add a CMake macro for RSB plugins | Feedback 0% |
| Document plugin mechanism | In Progress 25% |
| Document Java plugin mechanism | New 0% |
| Document Python plugin mechanism | New 0% |
| Document Common Lisp plugin mechanism | New 0% |
| Python socket transport swallows missing () | New 0% |
| Document receiving and processing using () | New 0% |
| Document writing converters in manual | In Progress 30% |
| Describe Recommend Way of using Domain () | New 0% |
| Allow easy debugging of RSB configuration | In Progress 90% |
| Implement configuration inspector () | In Progress 50% |
| implement configuration inspector () | - |

| Improve terminetion of nuther pressess | New 0% |
|---|-----------------|
| Improve termination of python processes | New 0% |
| Provide better interface for parameterless () | |
| Transports returned by ParticipantConfig::getTran | New 0% |
| Improve event type handling and converter () | New 0% |
| Prevent termination of BusServer when () | New 50% |
| setup.py should specify the protobuf () | New 0% |
| Configurator can't check if connector () | Feedback 50% |
| Export default plugin folder | |
| Highlight interesting things in logger/bag-cat () | In Progress 30% |
| Add commandline options to exclude scopes () | In Progress 60% |
| Add intermediate results to request-reply () | In Progress 10% |
| Finalize introspection implementation | New 16% |
| Provide introspection functionality () | Feedback 0% |
| Enable introspection senders by () | In Progress 60% |
| Rebuild introspection database () | In Progress 50% |
| Reference documentation in error reports | In Progress 70% |
| Reference documentation in conditions | In Progress 70% |
| Call tool does not complain if it can't () | Feedback 30% |
| Document void -> void RPC in the troubleshooting | In Progress 20% |
| Documentation should include an example () | New 0% |
| Extend documentation on using and writing () | New 0% |
| Document converter disambiguation (programma | ic () |
| Listener state changes are not synchronized, () | New 0% |
| Handling of missing/not-encodable Hostname () | New 0% |
| Allow constructing scopes from a list () | New 0% |
| Provide simple API to programmatically () | Feedback 70% |
| Specification of preferred converters () | New 0% |
| Remove rsb.wire-schema property from () | New 0% |
| Visual indication when rsb-logger* (or () | New 0% |
| Use sphinx.ext.ifconfig for version-dependent () | New 0% |
| Socket Server Deadlock | New 0% |
| Wait for confirmation when joining Spread () | In Progress 60% |
| Wait for confirmation when joining Spread () | New 0% |
| | New 0% |
| Wait for confirmation when joining () | |

| | New 0% |
|--|-----------------|
| Unexpected Exception about introspection | In Progress 50% |
| Graph for introspection web interface | New 0% |
| Improve frequency calculation | |
| Scope-specific max-depth overrides for () | New 0% |
| Add average rate field to logger styles | New 0% |
| Unable to play large tide file when () | New 0% |
| In addition to DISPLAY_NAME, the introspection | |
| CL tools sometimes fail to connect to () | New 0% |
| Release version 0.18 | In Progress 90% |
| Introspection Bugs | New 0% |
| Robotics Service Bus - rsb-1.0 | rsb-1.0 16% |
| Implement Distributed Namingservice | Feedback 0% |
| Pull-style Event Receiving | New 0% |
| Pull-style Event Receiving | New 0% |
| Support URIs for Participant Configuration | New 0% |
| Support URIs for Participant Configuration | New 0% |
| Interaction with Foreign Nameservice | In Progress 50% |
| Handling of sendTime in Informer | New 0% |
| Multi-Connector Setups lead to duplicate () | In Progress 20% |
| Logo Design | Feedback 70% |
| Support for RPC clients which do not () | New 0% |
| Refactor rsb.transport.converter Module | In Progress 30% |
| Language-specific configuration | Feedback 0% |
| Evaluate whether we want to move to () | New 0% |
| | Feedback 0% |
| Name resolution does not work with absolute () | New 0% |
| Scope renaming | New 0% |
| Specify scope renaming | New 0% |
| Scope renaming (C++) | New 0% |
| Scope renaming [Java] | New 0% |
| Scope renaming [Python] | New 0% |
| Scope renaming [Common Lisp] | New 0% |
| Make causes semantically identifiable | In Progress 20% |
| Replace ProtoBuf Serialization of RSB () | New 0% |
| "auto" server mode is inefficient | |

| | In Progress 10% |
|--|-----------------|
| Implement communication with congestion () | New 0% |
| Test examples as part of unit tests | New 0% |
| Test examples as part of unit tests | |
| Participant-wise configuration | New 0% |
| Sphinx-based documentation for rsb-matlab | New 0% |
| Use Iparallel futures if possible | In Progress 30% |
| Common Lisp logger stumbles upon wrong () | New 0% |
| Add data type to all participants, especially () | New 0% |
| Separate Converter selection strategies () | New 0% |
| "Auto" mode of the socket transport () | New 0% |
| Evaluate Boost.Exception for dealing () | New 0% |
| Deliver binaries with pre-warmed PCL () | New 0% |
| Change and/or enforce naming conventions () | New 0% |
| Implement introspection event receiver () | New 0% |
| Implement introspection event receiver () | New 0% |
| Implement introspection event receiver () | New 0% |
| Include environment variables in introspection (| New 0% |
| Reader does not work with multi-connector () | New 0% |
| Support URIs for Participant Configuration | In Progress 80% |
| merge URI spec into ParticipantConfig | Feedback 80% |
| allow shallow data copy for converter () | New 0% |
| Qt-based graphical event logger | In Progress 80% |
| Check that RemoteServer instances delete () | New 0% |
| Provide Contrib Library or Folder for () | New 0% |
| Consider using git subtrees instead () | New 0% |
| Symlinks/Aliases for Scopes | Feedback 0% |
| RSB XML Support | RSB XML Support |
| Robotics Service Bus - rsb-0.18 | rsb-0.18 30% |
| | Feedback 50% |
| Add a plugin which registers the () | RSBag |
| RSBag | rsb-0.18 30% |
| Robotics Service Bus - rsb-0.18 | In Progress 30% |
| Which timestamps should be set () | In Progress 50% |
| Newer tool versions should be able () | New 0% |
| Computation of channel format is () | |

| | in Progress 20% |
|--------------------------------------|-----------------|
| Extend Elan backend | New 0% |
| Support proper temporal intervals () | |
| Support linked media files () | In Progress 40% |
| Allow limiting recording time | New 0% |
| bag record: Make status output () | In Progress 50% |
| Minimal support for ROSbag file () | In Progress 60% |
| Support explicit backend selection | New 0% |
| Store start and end timestamp of () | New 0% |
| bag record: Start timestamp for () | New 0% |
| Allow to deduplicate participants () | New 0% |
| Bag as bus server crashes in case () | New 0% |
| Events with same timestamps are () | In Progress 20% |
| • • • • | New 0% |
| Flush indices based on combined () | New 0% |
| show-progress online help doesn't () | New 0% |
| Allow to specify output stream () | rsb-1.0 16% |
| Robotics Service Bus - rsb-1.0 | New 0% |
| Verify Elan backend | |
| Use data type definitions stored () | In Progress 30% |
| Rename bag-merge -> bag-transform | In Progress 60% |
| Support C++ as a client language | In Progress 50% |
| Support Java as a client language | New 0% |
| Document C++ client API | New 0% |
| Document Java client API | New 0% |
| Add TYPE block to TIDELog backend | In Progress 20% |
| Add META block to TIDELog backend | In Progress 20% |
| AUG META DIOCK TO TIDELOG DACKETU | |